

Bestion® BA200

Gel Strong Base Anion Exchange Resin

Description

BA200 is a Type I strongly base anion exchange resin with quarternary ammonium structure base on polystyrene. It has excellent regeneration efficiency and rinse characteristics. The resin has exceptional physical and chemical stability. It also shows good kinetics of exchange, producing very low concentration levels of both strong and weak acid anions to be achieved at practical flowrate. BA200 is mainly used in adsorption of antibiotic and organic acid, separation and purification of biomedical products and biochemicals.

TYPICAL PHYSICAL & CHEMICAL CHARACTERISTICS:

Polymer Structure		Styrene-DVB
Appearance		White to light yellow spherical beads
Type		Gel strong base Anion exchange resin
Ionic form		Cl ⁻
Functional group		quarternary ammonium
Moisture Content	%	65-75%
Total Exchange Capacity	eq/L	≥1.0
Particle Size Range	0.315-1.25mm	≥95
Uniformity Coefficient	max.	≤1.6
Reversible Swelling	Cl ⁻ → OH ⁻ max %	≤25
Shipping Weight	g/ml	0.65-0.71
Temperature Limited	°C	80
Whole Spherical Rate After Attrition	%	≥90

TYPICAL PACKAGING

- 25L PE bag
- 1 Cubic feet
- 1000L Super Sacks